

Framing Nails – Plastic Strip


20°–22° Plastic Strip, Full Round Head, Screw-Shank Nail

Features:

- Smooth head
- Screw shank increases withdrawal resistance to provide a secure attachment
- Choose Type 316 stainless steel for seaside applications and superior corrosion resistance
- 2½" or longer have painted tips

Compatible Tools

If you don't see your particular model in the table below, see [strongtie.com/toolmatrix](https://www.strongtie.com/toolmatrix) or call Simpson Strong-Tie for assistance with fastener selection (800) 999-5099.



Brand	Model
Bosch®	SN350-20F (up to 0.148")
Bostitch®	F21PL
DeWalt®	D51850 (up to 0.148"), D51844 (up to 0.148")
Grip-Rite®	GRTFR83 (up to 0.131", 3¼"), GRTRH350 (up to 0.148")
Hitachi®	NR83AS (up to 0.131", 3¼"), NR90AC3, NR90AEPR (up to 0.148"), NR90GR (up to 0.131"), NR90GR2 (up to 0.131")
Makita®	AN923
Max®	SN883RH (up to 0.148", 3¼"), SN883RH2 (up to 0.148", 3¼"), SN890RH (up to 0.148")
Porter Cable®	FR350MAG, FR350A (up to 0.148")
Ridgid®	R350RHA
Senco®	SN902XP (up to 0.148", 3¼"), SN952XP (up to 0.148"), GT90FRH (up to 0.131"), FramePro 602 (up to 0.148"), FramePro 702XP (up to 0.148"), FramePro 752XP

These products are subject to quantities on hand, or may require special-order, minimum order quantities and longer lead times. Call Simpson Strong-Tie for details (800) 999-5099.

Framing Nails – Plastic Strip

20°–22° Plastic Strip, Full Round Head, Screw-Shank Nail (cont.)

Type 316 Stainless Steel

Penny Size	Length (in.)	Shank Diameter (in.)	Head Diameter (in.)	Carton Quantity	Model No.
10d	3	0.120	9/32	1,000	T11S300CNJ
10d	3	0.131	9/32	1,000	T10S300CNJ
12d	3¼	0.120	9/32	4,000	T11S325CNB
16d	3½	0.131	9/32	1,000	T10S350CNJ

Type 304 Stainless Steel

Penny Size	Length (in.)	Shank Diameter (in.)	Head Diameter (in.)	Carton Quantity	Model No.
8d	2½	0.113	9/32	4,000	S12S250CNB
8d	2½	0.113	9/32	1,000	S12S250CNJ
10d	3	0.120	9/32	4,000	S11S300CNB
10d	3	0.120	9/32	1,000	S11S300CNJ
12d	3¼	0.120	9/32	4,000	S11S325CNB
12d	3¼	0.120	9/32	1,000	S11S325CNJ