


INTERNATIONAL FASTENERS, INC.



SPEC DATA SUBMITTAL SHEET

Size	TPI Ctn Qty		Daggerz ™ Part Number			D	rive	Drill Poin	nt Má	ax Drill	Drill Speed	
6 x 3/8	20	15,000	PP	PPSDZ0600038		#	#2	#2 PT	0	.112"	2500 RPM	
6 x 1/2	20	15,000	15,000 PPSDZ060012		#	#2	#2 PT	0	.112"	2500 RPM		
6 x 5/8	20	10,000	PF	PPSDZ060058		#	#2	#2 PT	0	.112"	2500 RPM	
6 x 3/4	20	10,000	P	PPSDZ06034		#	#2	#2 PT	0	.112"	2500 RPM	
6 x 1	20	10,000	Р	PPSDZ06100		7	# 2	#2 PT	0	.112"	2500 RPM	
material:	C1022 LC	C1022 LOW CARBON STEEL, CORE HARDNESS: HV240-425										
finish:	Zinc Finish provides 24 hour minimum salt spray corrosion resistance											
application:	metal to n	netal to metal applications.										
<i>installation:</i> Screw gun with depth sensitive nosepiece with installation speed not to exceed 2500 RPM. Overdriving may result in fastener failure or strikeout of the work surface. The fastener must penetrate beyond the metal with a minimum of three threads protruding past the back side of the metal.												
Meets or excee	eds the fol	llowing spec	ifications:									
AC118		Acceptance criteria for tapping screw fasteners used in steel-to-steel connections										
ASTM A510		Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel (Minimum grade 1018)										
ASTM B117		Practice for Operating Salt Spray (Fog) Apparatus										
ASTM C1513 (18)		Standard Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections										
SAE J78	:	Standard for Dimensional, Mechanical and Performance Requirements										
Ultimate Value Chart												
		DIAMETER	Nom Screw Dia	25 Gauge	22 Gauge	20 Gauge	18 Gaug	16 Gauge	14 Gauge	12 Gauge	Min Torsional Strength (Lb)	
Tension (Pull) Lbs 1 pc		6-20	0.138	128	176	263	426	598	911	1156	24 lbs	
Shear (Metal to Metal)		6-20	0.138	-	449	683	728	1091	1148	-	24 lbs	
7	These figure	es are offered	only as a gui	de and are	e not guara	anteed in	any way	by Internation	onal Faste	eners, Inc.		

These figures are offered only as a guide and are not guaranteed in any way by International Fasteners, Inc. Appropriate safety factors should be applied to these values for specific purposes.

All International Fasteners, Inc. Fasteners are manufactured to IFI's Performance Specifications and Print Drawings.

PPSDZ06.21